



133 Charter Place, LaVergne, TN 37086
 Phone: (615)280-7489
 Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct</i>
<i>Batch No./Lot No</i>	<i>B20D20C/0167D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to off-white	Conforms
Odor	Organoleptic	Characteristic Mentholic	Conforms
CBD Value	UL DOC#8070	≥420mg	463.13mg/unit
D9 THC Value	UL DOC#8070	0.30% or less	<0.02%
Specific Gravity	In House	0.925-0.999*	0.940
PH @ 25°C	In House	4.7-5.7*	5.9
Viscosity @ 25°C	In House	60,000-95,000 cps *	49,600 cps
		Brookfield DVE Spindle#7 @ 20 rpm	

*Tentative Specification. Specification finalized after six production batches.

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	<100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	<100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	<10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤0.10 ppm	0.10 ppm	≤0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤0.10 ppm	0.10 ppm	≤0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤0.10 ppm	0.10 ppm	≤0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤0.10 ppm	0.10 ppm	≤0.18 ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=parts per million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	<0.15 ppm	0.1-0.5ppb	<1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	<0.03 ppm	0.1-0.5ppb	<0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	<0.15 ppm	0.1-0.5ppb	<0.2ppm
ICP-MS CTN 6339 & 6341	Lead	<0.03 ppm	0.1-0.5ppb	<0.5ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=parts per billion ppm=parts per million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb	<20 ppb
Neogen Kits	Ochratoxin	<2 ppb	2 ppb	<20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Storage	Room Temperature
Date of manufacture	06/15/2020

Reviewed by

Kimberly Taylor

Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086

Phone: (615)280-7489

Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct</i>
<i>Batch No./Lot No</i>	<i>B20D20C/D/A/0168D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to off-white	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥420mg	462.67 mg/unit
D9 THC Value	UL DOC#8070	0.30% or less	<0.02%
Specific Gravity	In House	0.925-0.999*	0.967
PH @ 25°C	In House	4.7-5.7*	5.8
Viscosity @ 25°C	In House	60,000-95,000 cps *	52,400 cps
		Brookfield DVE Spindle#7 @ 20 rpm	

*Tentative Specification. Specification finalized after six production batches.

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	<100 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	<100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	<10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤0.10 ppm	0.10 ppm	≤0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤0.10 ppm	0.10 ppm	≤0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤0.10 ppm	0.10 ppm	≤0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤0.10 ppm	0.10 ppm	≤0.18 ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=parts per million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	<0.16 ppm	0.1-0.5ppb	<1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	<0.03 ppm	0.1-0.5ppb	<0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	<0.16 ppm	0.1-0.5ppb	<0.2ppm
ICP-MS CTN 6339 & 6341	Lead	<0.03 ppm	0.1-0.5ppb	<0.5ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=parts per billion ppm=parts per million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb	<20 ppb
Neogen Kits	Ochratoxin	<2 ppb	2 ppb	<20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Storage	Room Temperature
Date of manufacture	06/16/2020

Reviewed by

Kimberly Taylor

Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086
 Phone: (615)280-7489
 Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct</i>
<i>Batch No./Lot No</i>	<i>B20D20A/B/E/0169D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to off-white	Conforms
Odor	Organoleptic	Characteristic Mentholic	Conforms
CBD Value	UL DOC#8070	≥420mg	451.7mg/unit
D9 THC Value	UL DOC#8070	0.30% or less	<0.02%
Specific Gravity	In House	0.925-0.999*	0.971
PH @ 25°C	In House	4.7-5.7*	5.9
Viscosity @ 25°C	In House	60,000-95,000 cps *	41,800 cps
		Brookfield DVE Spindle#7 @ 20 rpm	

*Tentative Specification. Specification finalized after six production batches.

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	<100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	<100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	<10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤0.10 ppm	0.10 ppm	≤0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤0.10 ppm	0.10 ppm	≤0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤0.10 ppm	0.10 ppm	≤0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤0.10 ppm	0.10 ppm	≤0.18 ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=parts per million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	<0.15 ppm	0.1-0.5ppb	<1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	<0.03 ppm	0.1-0.5ppb	<0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	<0.15 ppm	0.1-0.5ppb	<0.2ppm
ICP-MS CTN 6339 & 6341	Lead	<0.03 ppm	0.1-0.5ppb	<0.5ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=parts per billion ppm=parts per million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb	<20 ppb
Neogen Kits	Ochratoxin	<2 ppb	2 ppb	<20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Storage	Room Temperature
Date of manufacture	06/17/2020

Reviewed by

Kimberly Taylor

Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086

Phone: (615)280-7489

Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct</i>
<i>Batch No./Lot No</i>	<i>B20D20E/F/0170D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to off-white	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥420mg	466.03mg/unit
D9 THC Value	UL DOC#8070	0.30% or less	<0.02%
Specific Gravity	In House	0.925-0.999*	0.945
PH @ 25°C	In House	4.7-5.7*	5.7
Viscosity @ 25°C	In House	60,000-95,000 cps *	42,600 cps
		Brookfield DVE Spindle#7 @ 20 rpm	

*Tentative Specification. Specification finalized after six production batches.

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	<100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	<100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	<10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤0.10 ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤0.10 ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤0.10 ppm	0.10 ppm	≤0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤0.10 ppm	0.10 ppm	≤0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤0.10 ppm	0.10 ppm	≤0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤0.10 ppm	0.10 ppm	≤0.18 ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=parts per million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	<0.15 ppm	0.1-0.5ppb	<1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	<0.03 ppm	0.1-0.5ppb	<0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	<0.15 ppm	0.1-0.5ppb	<0.2ppm
ICP-MS CTN 6339 & 6341	Lead	0.04 ppm	0.1-0.5ppb	<0.5ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=parts per billion ppm=parts per million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb	<20 ppb
Neogen Kits	Ochratoxin	<2 ppb	2 ppb	<20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Storage	Room Temperature
Date of manufacture	06/19/2020

Reviewed by

Kimberly Taylor

Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086
 Phone: (615)280-7489
 Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct (FNB-9465-B2)</i>
<i>Batch/Lot No.</i>	<i>B20G12A/B/0231D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥ 420 mg	441 mg/unit
D9 THC Value	UL DOC#8070	≤ 0.30%	<0.02%
Specific Gravity	In House	0.925 – 0.999	0.944
PH @ 25°C	In House	5.3-6.3	5.3
Viscosity @ 25°C	In House	30,000 – 70,000 cps Brookfield DVE Spindle #7 @ 20 RPM	45,000 cps

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/ 1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected

LOD=Limit of Detection

ppm=Parts per Million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	<0.123 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	<0.025 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	<0.123 ppm	0.1 – 0.5 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	<0.025 ppm	0.1 – 0.5 ppb	< 0.5 ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	<2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	08/18/2020

Reviewed by

Kimberly Taylor
Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086
 Phone: (615)280-7489
 Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct (FNB-9465-B2)</i>
<i>Batch/Lot No.</i>	<i>B20G12A/ 0230D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥ 420 mg	447 mg/unit
D9 THC Value	UL DOC#8070	≤ 0.30%	<0.0143%
Specific Gravity	In House	0.925 – 0.999	0.951
PH @ 25°C	In House	5.3-6.3	5.6
Viscosity @ 25°C	In House	30,000 – 70,000 cps Brookfield DVE Spindle #7 @ 20 RPM	48,800 cps

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected

LOD=Limit of Detection

ppm=Parts per Million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	<0.17 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	<0.03 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	<0.17 ppm	0.1 – 0.5 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	<0.03ppm	0.1 – 0.5 ppb	< 0.5 ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	<2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	08/17/2020

Reviewed by

Kimberly Taylor
Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086
 Phone: (615)280-7489
 Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct (FNB-9465-B2)</i>
<i>Batch/Lot No.</i>	<i>B20G14C/0269B</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥ 420 mg	533 mg
D9 THC Value	UL DOC#8070	≤ 0.30%	< 0.02%
Specific Gravity	In House	0.925 – 0.999	0.931
PH @ 25°C	In House	5.3 – 6.3	5.6
Viscosity @ 25°C	In House	30,000 – 70,000 cps Brookfield DVE Spindle #7 @ 20 RPM	44,400 cps

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	< 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	< 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	< 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	< 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected

LOD=Limit of Detection

ppm=Parts per Million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 0.16 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.03 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.16 ppm	0.1 – 0.5 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.03 ppm	0.1 – 0.5 ppb	< 0.5 ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	< 5 ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	< 2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	9/25/2020

Reviewed by

Shelby Gassie
Quality Control Chemist

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086
 Phone: (615)280-7489
 Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>400mg/2 oz CBD Cream with HotAct (FNB-9465-B2)</i>
<i>Batch/Lot No.</i>	<i>B20G14B/0272B</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥ 420 mg	444 mg
D9 THC Value	UL DOC#8070	≤ 0.30%	< 0.02%
Specific Gravity	In House	0.925 – 0.999	0.946
PH @ 25°C	In House	5.3 – 6.3	5.4
Viscosity @ 25°C	In House	30,000 – 70,000 cps Brookfield DVE Spindle #7 @ 20 RPM	43,100 cps

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	< 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	< 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	< 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	< 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected LOD=Limit of Detection ppm=Parts per Million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 0.15 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.03 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.15 ppm	0.1 – 0.5 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.03 ppm	0.1 – 0.5 ppb	< 0.5 ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	< 5 ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	< 2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	9/28/2020

Reviewed by

Shelby Gassie
Quality Control Chemist

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



1900 Midway Ln. Smyrna, TN 37167
 Phone: (615)280-7489
 Email: labtech@fandbcosmetics.com

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	CBD Pro Cream 400mg CBD
<i>Formula No.</i>	FNB-9465-D
<i>Batch/Lot No.</i>	B24D15B / 4151B

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic/Menthollic	Conforms
CBD Value*	WI-10-17 & WI-10-17-01	≥ 420 mg	477 mg
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity	FB/SOP-LAB-51-00	0.900 – 1.000	0.912
pH @ 25°C	FB/SOP-LAB-52-01	4.70 – 6.35	5.31
Viscosity @ 25°C	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD94 @ 10 RPM	59,100 cps

*This analysis was performed by ProVerde Labs using method [WI-10-17 & WI-10-17-01].

Revision No.	06
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 10 MPN/g
Total Bile-Tolerant Gram Negative Bacteria	USP <62>	Absent/1g	Absent
E. Coli (O157)	USP <62>	Absent/1g	Absent
Salmonella	USP <62>	Absent/1g	Absent

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

*This analysis was performed by ProVerde Labs using method [WI-10-11].

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

*This analysis was performed by ProVerde Labs using method [WI-10-13].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result, ppb</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

*This analysis was performed by ProVerde Labs using method [WI-10-05].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Date of Manufacture	05/30/2024
---------------------	------------

Reviewed by



06/12/2024

Michael Lerner
Laboratory Technician

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



1900 Midway Ln. Smyrna, TN 37167
 Phone: (615)280-7489
 Email: labtech@fandbcosmetics.com

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	CBD Pro Cream 400mg CBD
<i>Formula No.</i>	FNB-9465-D
<i>Batch/Lot No.</i>	B24D15B / 4152B

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic/Menthollic	Conforms
CBD Value*	WI-10-17 & WI-10-17-01	≥ 420 mg	478 mg
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity	FB/SOP-LAB-51-00	0.900 – 1.000	0.912
pH @ 25°C	FB/SOP-LAB-52-01	4.70 – 6.35	5.31
Viscosity @ 25°C	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD94 @ 10 RPM	59,100 cps

*This analysis was performed by ProVerde Labs using method [WI-10-17 & WI-10-17-01].

Revision No.	06
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 10 MPN/g
Total Bile-Tolerant Gram Negative Bacteria	USP <62>	Absent/1g	Absent
E. Coli (O157)	USP <62>	Absent/1g	Absent
Salmonella	USP <62>	Absent/1g	Absent

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

*This analysis was performed by ProVerde Labs using method [WI-10-11].

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

*This analysis was performed by ProVerde Labs using method [WI-10-13].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result, ppb</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

*This analysis was performed by ProVerde Labs using method [WI-10-05].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Date of Manufacture	05/31/2024
---------------------	------------

Reviewed by



06/12/2024

Michael Lerner
Laboratory Technician

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

Revision No.	06
--------------	----