



133 Charter Place, LaVergne, TN 37086  
 Phone: (615)280-7489  
 Email: QC1@fandbcosmetics.com

## *Certificate of Analysis*

<i>Customer</i>	<b><i>Briteway/Amway</i></b>
<i>Product Name</i>	<b><i>CBD Cream 300mg/2 oz</i></b>
<i>Batch No/Lot No</i>	<b><i>B20C40A/0147D</i></b>

### ***Physical Testing***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	Light Yellow to Yellow	Conforms
Odor	Organoleptic	Menthol	Conforms
CBD Value	UL DOC#8070	≥ 320 mg/unit	356mg/unit
D9-THC Value	UL DOC#8070	≤ 0.30%	<0.02%
Specific Gravity	In House	0.925 – 0.999	0.948
pH @ 25°C	In House	4.7 – 5.7	5.35
Viscosity @ 25°C	In House	Brookfield DVE Spindle #7 @ 10 RPM 60,000 – 95,000 cps	76,800 cps

### ***Microbial Testing, Pathogenic***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Total aerobic plate count	USP <61>	< 100 CFU/g	55 CFU/g
Total yeast and mold	USP <61>	< 100 CFU/g	20 CFU/g
Total coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total bile-tolerant gram-negative bacteria	USP <62>	Absent/1 g	Absent/1g
Escherichia coli	USP <62>	Absent/10 g	Absent/10g
Salmonella	USP <62>	Absent/10 g	Absent/10g

***Pesticides Screen***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppm	<0.10ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=Parts per million

***Heavy Metals***

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	0.1 – 0.5 ppb	< 1.5 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Cadmium	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm
ICP-MS CTN 6339 & 6341	Mercury	0.1 – 0.5 ppb	< 0.2 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Lead	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

### ***Mycotoxin Testing***

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
Neogen Kits	Aflatoxin	5 ppb	< 20 ppb	<2 ppb
Neogen Kits	Cadmium	2 ppb	< 20 ppb	<1 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room temperature</i>
Date of manufacture	05/26/2020

---

### ***Reviewed by***

Kimberly Taylor  
*Quality Control Manager*

---

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086  
 Phone: (615)280-7489  
 Email: QC1@fandbcosmetics.com

## *Certificate of Analysis*

<i>Customer</i>	<b><i>Briteway/Amway</i></b>
<i>Product Name</i>	<b><i>CBD Cream 300mg/2 oz</i></b>
<i>Batch No/Lot No</i>	<b><i>B20C40A/B/0148D</i></b>

### *Physical Testing*

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	Light Yellow to Yellow	Conforms
Odor	Organoleptic	Menthol	Conforms
CBD Value	UL DOC#8070	≥ 320 mg/unit	356mg/unit
D9-THC Value	UL DOC#8070	≤ 0.30%	<0.02%
Specific Gravity	In House	0.925 – 0.999	0.945
pH @ 25°C	In House	4.7 – 5.7	5.41
Viscosity @ 25°C	In House	Brookfield DVE Spindle #7 @ 10 RPM 60,000 – 95,000 cps	68,400 cps

### *Microbial Testing, Pathogenic*

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Total aerobic plate count	USP <61>	< 100 CFU/g	< 10 CFU/g
Total yeast and mold	USP <61>	< 100 CFU/g	< 10 CFU/g
Total coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total bile-tolerant gram-negative bacteria	USP <62>	Absent/1 g	Absent/1g
Escherichia coli	USP <62>	Absent/10 g	Absent/10g
Salmonella	USP <62>	Absent/10 g	Absent/10g

***Pesticides Screen***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppm	<0.10ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=Parts per million

***Heavy Metals***

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	0.1 – 0.5 ppb	< 1.5 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Cadmium	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm
ICP-MS CTN 6339 & 6341	Mercury	0.1 – 0.5 ppb	< 0.2 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Lead	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

### ***Mycotoxin Testing***

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
Neogen Kits	Aflatoxin	5 ppb	< 20 ppb	<2 ppb
Neogen Kits	Cadmium	2 ppb	< 20 ppb	<1 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room temperature</i>
Date of manufacture	05/27/2020

---

### ***Reviewed by***

Kimberly Taylor  
*Quality Control Manager*

---

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

*Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/CBD Cream Mini</b>
<i>Part Number</i>	<b>321253</b>
<i>Formula Number</i>	<b>FNB-9770-D</b>
<i>Batch / Bulk Lot</i>	<b>B24J14 / 24296014</b>
<i>Batch / Lot Code</i>	<b>34317D / 4317H8SD</b>

**Physical Testing**

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

\*Analysis performed by ProVerde Labs using method using the method identified.

\*\* Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

### ***Microbiological Testing, Pathogenic***

<b><i>Test</i></b>	<b><i>Method</i></b>	<b><i>Specification</i></b>	<b><i>Result</i></b>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

***Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.***

### ***Pesticides Screen\****

<b><i>Test ID</i></b>	<b><i>Test Analysis</i></b>	<b><i>Specification</i></b>	<b><i>LLD</i></b>	<b><i>Result</i></b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm



AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

### **Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### **Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

*\*Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	<b>11/12/2024</b>
---------------------	-------------------

**Reviewed By:** Dino A. DiMelis, Director of Quality Assurance

**Report Date:** 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

*Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/CBD Cream Mini</b>
<i>Part Number</i>	<b>321253</b>
<i>Formula Number</i>	<b>FNB-9770-D</b>
<i>Batch / Bulk Lot</i>	<b>B24J14 / 24296014</b>
<i>Batch / Lot Code</i>	<b>34318C &amp; 34318D / 4318H8SC &amp; 4318H8SD</b>

**Physical Testing**

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

\*Analysis performed by ProVerde Labs using method using the method identified.

\*\* Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

### ***Microbiological Testing, Pathogenic***

<b><i>Test</i></b>	<b><i>Method</i></b>	<b><i>Specification</i></b>	<b><i>Result</i></b>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

***Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.***

### ***Pesticides Screen\****

<b><i>Test ID</i></b>	<b><i>Test Analysis</i></b>	<b><i>Specification</i></b>	<b><i>LLD</i></b>	<b><i>Result</i></b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

### **Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### **Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

*\*Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	<b>11/13/2024</b>
---------------------	-------------------

**Reviewed By:** Dino A. DiMelis, Director of Quality Assurance

**Report Date:** 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

*Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/CBD Cream Mini</b>
<i>Part Number</i>	<b>321253</b>
<i>Formula Number</i>	<b>FNB-9770-D</b>
<i>Batch / Bulk Lot</i>	<b>B24J14 / 24296014</b>
<i>Batch / Lot Code</i>	<b>34319A &amp; 34319B / 4319H8SA &amp; 4319H8SB</b>

**Physical Testing**

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

\*Analysis performed by ProVerde Labs using method using the method identified.

\*\* Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

### ***Microbiological Testing, Pathogenic***

<b><i>Test</i></b>	<b><i>Method</i></b>	<b><i>Specification</i></b>	<b><i>Result</i></b>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

***Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.***

### ***Pesticides Screen\****

<b><i>Test ID</i></b>	<b><i>Test Analysis</i></b>	<b><i>Specification</i></b>	<b><i>LLD</i></b>	<b><i>Result</i></b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

### **Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### **Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

*\*Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	<b>11/14/2024</b>
---------------------	-------------------

**Reviewed By:** Dino A. DiMelis, Director of Quality Assurance

**Report Date:** 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

*Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/CBD Cream Mini</b>
<i>Part Number</i>	<b>321253</b>
<i>Formula Number</i>	<b>FNB-9770-D</b>
<i>Batch / Bulk Lot</i>	<b>B24J14 / 24296014</b>
<i>Batch / Lot Code</i>	<b>34320A &amp; 34320B / 4320H8SA &amp; 4320H8SB</b>

**Physical Testing**

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

\*Analysis performed by ProVerde Labs using method using the method identified.

\*\* Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----



### ***Microbiological Testing, Pathogenic***

<b><i>Test</i></b>	<b><i>Method</i></b>	<b><i>Specification</i></b>	<b><i>Result</i></b>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

***Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.***

### ***Pesticides Screen\****

<b><i>Test ID</i></b>	<b><i>Test Analysis</i></b>	<b><i>Specification</i></b>	<b><i>LLD</i></b>	<b><i>Result</i></b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

### **Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### **Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

*\*Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	<b>11/15/2024</b>
---------------------	-------------------

**Reviewed By:** Dino A. DiMelis, Director of Quality Assurance

**Report Date:** 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

*Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/CBD Cream Mini</b>
<i>Part Number</i>	<b>321253</b>
<i>Formula Number</i>	<b>FNB-9770-D</b>
<i>Batch / Bulk Lot</i>	<b>B24J14 / 24296014</b>
<i>Batch / Lot Code</i>	<b>34321A &amp; 34321B / 4321H8SA &amp; 4321H8SB</b>

**Physical Testing**

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

\*Analysis performed by ProVerde Labs using method using the method identified.

\*\* Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

### ***Microbiological Testing, Pathogenic***

<b><i>Test</i></b>	<b><i>Method</i></b>	<b><i>Specification</i></b>	<b><i>Result</i></b>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

***Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.***

### ***Pesticides Screen\****

<b><i>Test ID</i></b>	<b><i>Test Analysis</i></b>	<b><i>Specification</i></b>	<b><i>LLD</i></b>	<b><i>Result</i></b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

**\*Analysis performed by ProVerde Labs using method [WI-10-11].**

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

### **Heavy Metals\***

<b>Test ID</b>	<b>Test Analysis</b>	<b>Specification</b>	<b>LOD</b>	<b>Result</b>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

**\*Analysis performed by ProVerde Labs using method [WI-10-13].**

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### **Mycotoxin Testing\***

<b>Test ID</b>	<b>Test Analysis</b>	<b>Specification</b>	<b>LOD</b>	<b>Result</b>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

**\*Analysis performed by ProVerde Labs using the method identified.**

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	<b>11/16/2024</b>
---------------------	-------------------

**Reviewed By:** Dino A. DiMelis, Director of Quality Assurance

**Report Date:** 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

Revision No.	00
--------------	----



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

*Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/CBD Cream Mini</b>
<i>Part Number</i>	<b>321253</b>
<i>Formula Number</i>	<b>FNB-9770-D</b>
<i>Batch / Bulk Lot</i>	<b>B24J14 / 24296014</b>
<i>Batch / Lot Code</i>	<b>34323C &amp; 34323D / 4323H8SC &amp; 4323H8SD</b>

**Physical Testing**

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

\*Analysis performed by ProVerde Labs using method using the method identified.

\*\* Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

### ***Microbiological Testing, Pathogenic***

<b><i>Test</i></b>	<b><i>Method</i></b>	<b><i>Specification</i></b>	<b><i>Result</i></b>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

***Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.***

### ***Pesticides Screen\****

<b><i>Test ID</i></b>	<b><i>Test Analysis</i></b>	<b><i>Specification</i></b>	<b><i>LLD</i></b>	<b><i>Result</i></b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

### **Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

*\*Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### **Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

*\*Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	<b>11/18/2024</b>
---------------------	-------------------

**Reviewed By:** Dino A. DiMelis, Director of Quality Assurance

**Report Date:** 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.





8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

*Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/CBD Cream Mini</b>
<i>Part Number</i>	<b>321253</b>
<i>Formula Number</i>	<b>FNB-9770-D</b>
<i>Batch / Bulk Lot</i>	<b>B24J14 / 24296014</b>
<i>Batch / Lot Code</i>	<b>34324C &amp; 34324D / 4324H8SC &amp; 4324H8SD</b>

**Physical Testing**

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

\*Analysis performed by ProVerde Labs using method using the method identified.

\*\* Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

### ***Microbiological Testing, Pathogenic***

<b><i>Test</i></b>	<b><i>Method</i></b>	<b><i>Specification</i></b>	<b><i>Result</i></b>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

***Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.***

### ***Pesticides Screen\****

<b><i>Test ID</i></b>	<b><i>Test Analysis</i></b>	<b><i>Specification</i></b>	<b><i>LLD</i></b>	<b><i>Result</i></b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

**\*Analysis performed by ProVerde Labs using method [WI-10-11].**

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

### **Heavy Metals\***

<b>Test ID</b>	<b>Test Analysis</b>	<b>Specification</b>	<b>LOD</b>	<b>Result</b>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

**\*Analysis performed by ProVerde Labs using method [WI-10-13].**

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### **Mycotoxin Testing\***

<b>Test ID</b>	<b>Test Analysis</b>	<b>Specification</b>	<b>LOD</b>	<b>Result</b>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

**\*Analysis performed by ProVerde Labs using the method identified.**

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	<b>11/19/2024</b>
---------------------	-------------------

**Reviewed By:** Dino A. DiMelis, Director of Quality Assurance

**Report Date:** 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

Revision No.	00
--------------	----



1900 Midway Ln. Smyrna, TN 37167  
 Phone: (615)280-7489  
 Email: QClab@fandbcosmetics.com

## Certificate of Analysis



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/2oz CBD Cream</b>
<i>Formula No.</i>	<b>FNB-9770-D</b>
<i>Batch No./Lot No</i>	<b>B24J14 / 4320B</b>

### Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Menthollic Characteristic	Conforms
CBD Value*	WI-10-17 & WI-10-17-01	≥ 320 mg	387.0 mg
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity @ 25°C	FB/SOP-LAB-69-00	55,000 – 130,000 cps Sp.# TD (94) @ 10 RPM	57,900 cps

\*This analysis was performed by ProVerde Labs using method [WI-10-17 & WI-10-17-01].

Revision No.	04
--------------	----

### ***Microbiological Testing, Pathogenic***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 10 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Not Detected
E. Coli (O157)	USP <62>	Absent/1g	Not Detected
Salmonella	USP <62>	Absent/1g	Not Detected

### ***Pesticides Screen\****

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD, ppb</i>	<i>Result, ppb</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

\*This analysis was performed by ProVerde Labs using method [WI-10-11].

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

**Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD, ppb</i>	<i>Result, ppb</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

\*This analysis was performed by ProVerde Labs using method [WI-10-13].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

**Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result, ppb</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb

\*This analysis was performed by ProVerde Labs using method [WI-10-05].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	11/1/2024
Date of CoA	12/3/2024

**Reviewed by**

  
 Michael Lerner  
*Laboratory Technician*

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

Revision No.	04
--------------	----



1900 Midway Ln. Smyrna, TN 37167  
 Phone: (615)280-7489  
 Email: QClab@fandbcosmetics.com

## *Certificate of Analysis*



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/2oz CBD Cream</b>
<i>Formula No.</i>	<b>FNB-9770-D</b>
<i>Batch No./Lot No</i>	<b>B24J14 / 4323B</b>

### ***Physical Testing***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Menthollic Characteristic	Conforms
CBD Value*	WI-10-17 & WI-10-17-01	≥ 320 mg	375.0 mg
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity @ 25°C	FB/SOP-LAB-69-00	55,000 – 130,000 cps Sp.# TD (94) @ 10 RPM	57,900 cps

\*This analysis was performed by ProVerde Labs using method [WI-10-17 & WI-10-17-01].

Revision No.	04
--------------	----

### ***Microbiological Testing, Pathogenic***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 10 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Not Detected
E. Coli (O157)	USP <62>	Absent/1g	Not Detected
Salmonella	USP <62>	Absent/1g	Not Detected

### ***Pesticides Screen\****

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD, ppb</i>	<i>Result, ppb</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

\*This analysis was performed by ProVerde Labs using method [WI-10-11].



Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

**Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD, ppb</i>	<i>Result, ppb</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

\*This analysis was performed by ProVerde Labs using method [WI-10-13].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

**Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result, ppb</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb

\*This analysis was performed by ProVerde Labs using method [WI-10-05].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	11/1/2024
Date of CoA	12/3/2024

**Reviewed by**



Michael Lerner  
*Laboratory Technician*

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

Revision No.	04
--------------	----



1900 Midway Ln. Smyrna, TN 37167  
 Phone: (615)280-7489  
 Email: QClab@fandbcosmetics.com

## Certificate of Analysis



<i>Customer</i>	<b>Amway</b>
<i>Product Name</i>	<b>300mg/2oz CBD Cream</b>
<i>Formula No.</i>	<b>FNB-9770-D</b>
<i>Batch No./Lot No</i>	<b>B24J14 / 4324B</b>

### Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Menthollic Characteristic	Conforms
CBD Value*	WI-10-17 & WI-10-17-01	≥ 320 mg	390.0 mg
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity @ 25°C	FB/SOP-LAB-69-00	55,000 – 130,000 cps Sp.# TD (94) @ 10 RPM	57,900 cps

\*This analysis was performed by ProVerde Labs using method [WI-10-17 & WI-10-17-01].

Revision No.	04
--------------	----

### ***Microbiological Testing, Pathogenic***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 10 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Not Detected
E. Coli (O157)	USP <62>	Absent/1g	Not Detected
Salmonella	USP <62>	Absent/1g	Not Detected

### ***Pesticides Screen\****

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD, ppb</i>	<i>Result, ppb</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

\*This analysis was performed by ProVerde Labs using method [WI-10-11].

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

**Heavy Metals\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD, ppb</i>	<i>Result, ppb</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

\*This analysis was performed by ProVerde Labs using method [WI-10-13].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

**Mycotoxin Testing\***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result, ppb</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb

\*This analysis was performed by ProVerde Labs using method [WI-10-05].

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	11/1/2024
Date of CoA	12/3/2024

**Reviewed by**



Michael Lerner  
*Laboratory Technician*

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

Revision No.	04
--------------	----