



133 Charter Place, LaVergne, TN 37086
 Phone: (615)280-7489
 Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>CBD Cream 300mg/2 oz</i>
<i>Batch No/Lot No</i>	<i>B20C40A/0147D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	Light Yellow to Yellow	Conforms
Odor	Organoleptic	Menthol	Conforms
CBD Value	UL DOC#8070	≥ 320 mg/unit	356mg/unit
D9-THC Value	UL DOC#8070	≤ 0.30%	<0.02%
Specific Gravity	In House	0.925 – 0.999	0.948
pH @ 25°C	In House	4.7 – 5.7	5.35
Viscosity @ 25°C	In House	Brookfield DVE Spindle #7 @ 10 RPM 60,000 – 95,000 cps	76,800 cps

Microbial Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Total aerobic plate count	USP <61>	< 100 CFU/g	55 CFU/g
Total yeast and mold	USP <61>	< 100 CFU/g	20 CFU/g
Total coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total bile-tolerant gram-negative bacteria	USP <62>	Absent/1 g	Absent/1g
Escherichia coli	USP <62>	Absent/10 g	Absent/10g
Salmonella	USP <62>	Absent/10 g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppm	<0.10ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=Parts per million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	0.1 – 0.5 ppb	< 1.5 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Cadmium	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm
ICP-MS CTN 6339 & 6341	Mercury	0.1 – 0.5 ppb	< 0.2 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Lead	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
Neogen Kits	Aflatoxin	5 ppb	< 20 ppb	<2 ppb
Neogen Kits	Cadmium	2 ppb	< 20 ppb	<1 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room temperature</i>
Date of manufacture	05/26/2020

Reviewed by

Kimberly Taylor
Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086

Phone: (615)280-7489

Email: QC1@fandbcosmetics.com

Certificate of Analysis

<i>Customer</i>	<i>Briteway/Amway</i>
<i>Product Name</i>	<i>CBD Cream 300mg/2 oz</i>
<i>Batch No/Lot No</i>	<i>B20C40A/B/0148D</i>

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Cream	Conforms
Color	Visual	Light Yellow to Yellow	Conforms
Odor	Organoleptic	Menthol	Conforms
CBD Value	UL DOC#8070	≥ 320 mg/unit	356mg/unit
D9-THC Value	UL DOC#8070	≤ 0.30%	<0.02%
Specific Gravity	In House	0.925 – 0.999	0.945
pH @ 25°C	In House	4.7 – 5.7	5.41
Viscosity @ 25°C	In House	Brookfield DVE Spindle #7 @ 10 RPM 60,000 – 95,000 cps	68,400 cps

Microbial Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Total aerobic plate count	USP <61>	< 100 CFU/g	< 10 CFU/g
Total yeast and mold	USP <61>	< 100 CFU/g	< 10 CFU/g
Total coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total bile-tolerant gram-negative bacteria	USP <62>	Absent/1 g	Absent/1g
Escherichia coli	USP <62>	Absent/10 g	Absent/10g
Salmonella	USP <62>	Absent/10 g	Absent/10g

Pesticides Screen

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.50 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppm	<0.10ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppm	<0.10ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=Parts per million

Heavy Metals

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	0.1 – 0.5 ppb	< 1.5 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Cadmium	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm
ICP-MS CTN 6339 & 6341	Mercury	0.1 – 0.5 ppb	< 0.2 ppm	<0.16ppm
ICP-MS CTN 6339 & 6341	Lead	0.1 – 0.5 ppb	< 0.5 ppm	<0.03ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Mycotoxin Testing

<i>Test ID</i>	<i>Test Analysis</i>	<i>LOD</i>	<i>Specification</i>	<i>Result</i>
Neogen Kits	Aflatoxin	5 ppb	< 20 ppb	<2 ppb
Neogen Kits	Cadmium	2 ppb	< 20 ppb	<1 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room temperature</i>
Date of manufacture	05/27/2020

Reviewed by

Kimberly Taylor
Quality Control Manager

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	300mg/CBD Cream Mini
<i>Part Number</i>	321253
<i>Formula Number</i>	FNB-9770-D
<i>Batch / Bulk Lot</i>	B24J14 / 24296014
<i>Batch / Lot Code</i>	34317D / 4317H8SD

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

*Analysis performed by ProVerde Labs using method using the method identified.

** Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

***Analysis performed by ProVerde Labs using method [WI-10-11].**

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

Test ID	Test Analysis	Specification	LOD	Result
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

***Analysis performed by ProVerde Labs using method [WI-10-13].**

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

Test ID	Test Analysis	Specification	LOD	Result
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

***Analysis performed by ProVerde Labs using the method identified.**

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	11/12/2024
---------------------	-------------------

Reviewed By: Dino A. DiMelis, Director of Quality Assurance

Report Date: 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	300mg/CBD Cream Mini
<i>Part Number</i>	321253
<i>Formula Number</i>	FNB-9770-D
<i>Batch / Bulk Lot</i>	B24J14 / 24296014
<i>Batch / Lot Code</i>	34318C & 34318D / 4318H8SC & 4318H8SD

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

*Analysis performed by ProVerde Labs using method using the method identified.

** Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

**Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

**Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

**Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	11/13/2024
---------------------	-------------------

Reviewed By: Dino A. DiMelis, Director of Quality Assurance

Report Date: 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	300mg/CBD Cream Mini
<i>Part Number</i>	321253
<i>Formula Number</i>	FNB-9770-D
<i>Batch / Bulk Lot</i>	B24J14 / 24296014
<i>Batch / Lot Code</i>	34319A & 34319B / 4319H8SA & 4319H8SB

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

*Analysis performed by ProVerde Labs using method using the method identified.

** Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

***Analysis performed by ProVerde Labs using method [WI-10-11].**

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

***Analysis performed by ProVerde Labs using method [WI-10-13].**

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

***Analysis performed by ProVerde Labs using the method identified.**

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	11/14/2024
---------------------	-------------------

Reviewed By: Dino A. DiMelis, Director of Quality Assurance

Report Date: 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	300mg/CBD Cream Mini
<i>Part Number</i>	321253
<i>Formula Number</i>	FNB-9770-D
<i>Batch / Bulk Lot</i>	B24J14 / 24296014
<i>Batch / Lot Code</i>	34320A & 34320B / 4320H8SA & 4320H8SB

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

*Analysis performed by ProVerde Labs using method using the method identified.

** Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

**Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

**Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

**Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	11/15/2024
---------------------	-------------------

Reviewed By: Dino A. DiMelis, Director of Quality Assurance

Report Date: 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	300mg/CBD Cream Mini
<i>Part Number</i>	321253
<i>Formula Number</i>	FNB-9770-D
<i>Batch / Bulk Lot</i>	B24J14 / 24296014
<i>Batch / Lot Code</i>	34321A & 34321B / 4321H8SA & 4321H8SB

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

*Analysis performed by ProVerde Labs using method using the method identified.

** Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

***Analysis performed by ProVerde Labs using method [WI-10-11].**

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

***Analysis performed by ProVerde Labs using method [WI-10-13].**

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

***Analysis performed by ProVerde Labs using the method identified.**

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	11/16/2024
---------------------	-------------------

Reviewed By: Dino A. DiMelis, Director of Quality Assurance

Report Date: 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

Revision No.	00
--------------	----



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	300mg/CBD Cream Mini
<i>Part Number</i>	321253
<i>Formula Number</i>	FNB-9770-D
<i>Batch / Bulk Lot</i>	B24J14 / 24296014
<i>Batch / Lot Code</i>	34323C & 34323D / 4323H8SC & 4323H8SD

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

*Analysis performed by ProVerde Labs using method using the method identified.

** Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

**Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

**Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

**Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	11/18/2024
---------------------	-------------------

Reviewed By: Dino A. DiMelis, Director of Quality Assurance

Report Date: 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



8300 Boettner Road – Saline, MI 48176

Phone: (734) 944-1300

Certificate of Analysis



<i>Customer</i>	Amway
<i>Product Name</i>	300mg/CBD Cream Mini
<i>Part Number</i>	321253
<i>Formula Number</i>	FNB-9770-D
<i>Batch / Bulk Lot</i>	B24J14 / 24296014
<i>Batch / Lot Code</i>	34324C & 34324D / 4324H8SC & 4324H8SD

Physical Testing

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Opaque Cream	Conforms
Color	Visual	White to Off-White	Conforms
Odor	Organoleptic	Characteristic Menthol	Conforms
D9 THC Value*	WI-10-17 & WI-10-17-01	≤ 0.30%	Not Detected
Specific Gravity**	FB/SOP-LAB-51-00	0.900 – 1.000	0.989
pH @ 25°C**	FB/SOP-LAB-52-01	4.50 – 6.15	5.38
Viscosity@25°C**	FB/SOP-LAB-69-00	55,000 – 130,000 cps Brookfield DVE Sp. TD (94) @ 10 RPM	57,900 cps

*Analysis performed by ProVerde Labs using method using the method identified.

** Analysis performed by F&B Cosmetics using the method identified.

Revision No.	00
--------------	----

Microbiological Testing, Pathogenic

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 10,000 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 10,000 CFU/g	<10 CFU/g
Total Coliforms	BAM CH4	< 10 MPN/g	<10 CFU/g
Escherichia coli	USP<62>	Negative/10g	Negative
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Negative/10g	Negative
Salmonella	USP <62>	Negative/10g	Negative

Microbiological testing performed by Alliance Analytical Laboratories, Inc. using methods identified.

Pesticides Screen*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LLD</i>	<i>Result</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	≤ 0.10 ppm	0.20 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	≤ 0.50 ppm	0.50 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	≤ 0.10 ppm	0.10 ppb	< 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	≤ 0.50 ppm	0.10 ppb	< 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	≤ 0.35 ppm	0.10 ppb	< 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	≤ 0.15 ppm	0.10 ppb	< 0.15 ppm

AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	≤ 0.26 ppm	0.10 ppb	< 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	≤ 0.18 ppm	0.10 ppb	< 0.18 ppm

**Analysis performed by ProVerde Labs using method [WI-10-11].*

Note: ND=Not Detected LLD=Lower Limit of Detection ppm=Parts per Million ppb=parts per Billion

Heavy Metals*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 1.5 ppm	10 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.5 ppm	10 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.2 ppm	10 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.5 ppm	10 ppb	< 0.5 ppm

**Analysis performed by ProVerde Labs using method [WI-10-13].*

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

Mycotoxin Testing*

<i>Test ID</i>	<i>Test Analysis</i>	<i>Specification</i>	<i>LOD</i>	<i>Result</i>
WI-10-05	Total Aflatoxin	< 20 ppb	20 ppb	< 20 ppb
WI-10-05	Total Ochratoxin	< 20 ppb	20 ppb	< 20 ppb
<i>Storage</i>	<i>Room Temperature</i>			

**Analysis performed by ProVerde Labs using the method identified.*

Note: ND = Not Detected LOD = Limit of Detection ppb = Parts per billion

Date of Manufacture	11/19/2024
---------------------	-------------------

Reviewed By: Dino A. DiMelis, Director of Quality Assurance

Report Date: 12/04/24

The data and information on this document represent only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.